

X. APPENDIX  
Unmarked Claims

1. (Restated) A non-nucleic acid probe having a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of: CTT-CAA-AGA-GGT-CCA-CGA (Seq. ID No. 1); AGG-GTT-CAA-CTG-TGT-GAC (Seq. ID No. 2); GAA-ACT-TCT-GAG-TGA-TGA (Seq. ID No. 3); CAG-TCA-TCG-CAG-AAA-ACT (Seq. ID No. 4); AGA-TTT-CAC-TGG-AAA-CGG (Seq. ID No. 5); GTT-ATG-GGA-AGG-TGA-TCC (Seq. ID No. 6); TCG-AGC-CGC-AGA-GTT-TAA (Seq. ID No. 7); CTA-TTT-AGC-GGG-CTT-GGA (Seq. ID No. 8); TAC-AAG-GGT-GTT-GCA-AAC (Seq. ID No. 9); CCA-TAT-GCA-GTT-ATA-AGT-AGG (Seq. ID No. 10); TAT-TGT-ACC-AAG-CAG-AGT-ACC (Seq. ID No. 11); GGT-ATA-TAT-AAG-ATG-ACA-CAG-GA (Seq. ID No. 12); GTT-AGT-TAT-ATT-GGG-TGA-TAT-GT (Seq. ID No. 13); TCA-CAT-AAT-AGA-CAA-CAT-AC (Seq. ID No. 14); CAG-AAG-AGA-TTG-AAC-CTT (Seq. ID No. 15); GGC-ATA-GCA-CAT-AAC-ATG (Seq. ID No. 16); AAT-CGT-CAT-CGA-ATG-AAT (Seq. ID No. 17); CAT-TGA-ACA-GAA-TTG-AAT (Seq. ID No. 18); GTT-TTC-AGG-GGA-AGA-TAT (Seq. ID No. 19); TGT-GCG-CCC-TCA-ACT-AAC (Seq. ID No. 20); GAA-GCT-TCA-TTG-GGA-TGT (Seq. ID No. 21); CCA-ATA-AAA-GCT-ACA-TAG-A (Seq. ID No. 22); GAA-AAA-GTT-TCT-GAC-ATT-GC (Seq. ID No. 23); TAG-TTG-AAG-GGC-ACA-TCA (Seq. ID No. 24); CAC-AAA-TAA-GAT-TCT-AAG-AAT (Seq. ID No. 25); TCA-AAA-GAA-TGC-TTC-AAC-AC (Seq. ID No. 26); ATA-ATT-AGA-CCG-GAA-TCA-T (Seq. ID No. 27); GCT-GTT-TTC-TAA-AGG-AAA-G (Seq. ID No. 28); AAG-ACT-TCA-AAG-AGG-TCC (Seq. ID No. 29); TTT-GTC-AAG-AAT-TAT-AAG-AAG (Seq. ID No. 30); CAA-GAT-TGC-TTT-TAA-TGG (Seq. ID No. 31); TGT-GTA-TCA-ACT-CAC-GGA (Seq. ID No. 32); CCT-CAC-AAA-GTA-GAA-ACT (Seq. ID No. 33); GAA-AAA-GCA-GTT-ACT-GAG (Seq. ID No. 34); TAA-TAA-TTA-GAC-GGA-ATC-AT (Seq. ID No. 35); TTA-CAG-GGC-ATT-GAA-GCC (Seq. ID No. 36); CAG-TTA-TGA-AGC-AGT-CTC (Seq. ID No. 37); CAC-ACC-AGA-AAA-AGC-AGT (Seq. ID No. 38); AAG-GGT-AAA-CAC-TGT-GAG (Seq. ID No. 39); AGA-CAA-CGA-AAT-ATC-TTC-ATG (Seq. ID No. 40); CTA-GCA-GTA-TGA-GGT-CAA (Seq. ID No. 41); GCA-GAC-TTC-AGA-AAC-AGA (Seq. ID No. 42); GGC-CTC-AAA-GAC-GTT-TAA (Seq. ID No. 43); GTG-AAA-GTT-CCA-AGT-GAA (Seq. ID No. 44); GAG-TGC-TTT-GAA-

GCC-TAC (Seq. ID No. 45); GAA-ACA-GCA-GAG-TTG-AAA (Seq. ID No. 46); TGC-AGA-GAT-CAC-AAC-GTG (Seq. ID No. 47); ACA-AAG-AAT-CAT-TCG-CAG (Seq. ID No. 48); AGT-GTT-AGA-AAA-CTG-CTC (Seq. ID No. 49); CTG-TTC-AGA-GTA-ACA-TGA (Seq. ID No. 50); CCG-CTT-GGA-AAT-ACT-ACA (Seq. ID No. 51); GAA-ATG-GAA-ATA-TCT-CCC-C (Seq. ID No. 52); TCT-AGG-AGG-TCC-AAT-TAT (Seq. ID No. 53); GAA-TTC-CCA-AGT-GGA-TAT (Seq. ID No. 54); CTG-TAG-GTT-TAG-ATG-AAG (Seq. ID No. 55); AAG-GAG-TGT-TTC-CCA-ACT (Seq. ID No. 56); GGC-TTC-AAG-GCG-CTC-TAA (Seq. ID No. 57); GCA-GAG-ACT-TCA-AAG-TGC (Seq. ID No. 58); CAC-ACA-CAC-GGT-GGA-CCA (Seq. ID No. 59); CAA-AGG-GAA-TGT-TCC-ATT (Seq. ID No. 60); CAC-ATA-GCA-GTG-TTT-GAG (Seq. ID No. 61); CTC-AAG-GCG-GTC-CAA-TTA (Seq. ID No. 62); GAG-TCG-AAA-TGC-ACA-CAT (Seq. ID No. 63); TAC-CAA-GAG-GAA-TGT-TGC (Seq. ID No. 64); ACG-GGA-TGC-AAT-ATA-AAA (Seq. ID No. 65); TGA-AGA-TTC-TGC-ATA-CGG (Seq. ID No. 66); AAG-GTT-TGT-ACT-GAC-AGA (Seq. ID No. 67); CTG-AAC-TAT-GGT-GAA-AAA (Seq. ID No. 68); ACT-AAC-TGT-GCT-GAA-CAT (Seq. ID No. 69); CCC-ATG-AAT-GCG-AGA-TAG (Seq. ID No. 70); AAC-TGA-ACG-CAC-AGA-TGA (Seq. ID No. 71); GGC-TAA-TCT-TTG-AAA-TTG-AAA (Seq. ID No. 72); AGG-TGG-ATA-ATT-GGC-CCT (Seq. ID No. 73); TGA-AGT-CCA-AAA-AAG-CAC (Seq. ID No. 74); CTT-AGA-CAT-GGA-AAT-ATC (Seq. ID No. 75); AAG-GGG-TCT-AAC-TAA-TCA (Seq. ID No. 76); GTA-GTT-GTT-GAG-AAT-GAT (Seq. ID No. 77); AAC-TTC-CCA-GAA-CTA-CAC (Seq. ID No. 78); ATT-CTT-GAA-ATG-GAA-CAC (Seq. ID No. 79); CTG-TGA-TTG-CTG-ATT-TGG (Seq. ID No. 80); GTC-ATC-ACA-GGA-AAC-ATT (Seq. ID No. 81); GAA-ATT-TCC-TGT-TGA-CAG-A (Seq. ID No. 82); GTT-TGA-AAG-CTG-AAC-TAT-G (Seq. ID No. 83); TCC-TGT-AAT-GTT-CGA-CAG (Seq. ID No. 84); TCA-TAG-AAC-GCT-AGA-AAG (Seq. ID No. 85); ACC-TTT-CTT-TTG-ATG-AAG-GA (Seq. ID No. 86); CAA-ATA-TCA-CAA-AAA-GAG-GG (Seq. ID No. 87); GAG-TTG-AAT-AGA-GGC-AAC (Seq. ID No. 88); GGC-CAA-ATG-TAG-AAA-AGG (Seq. ID No. 89); GCG-TTC-AAC-TCA-AGG-TGT (Seq. ID No. 90); TGT-CCT-TTA-GAC-AGA-GCA (Seq. ID No. 91); TGA-GAC-CAA-ATG-TAC-AAA-AG (Seq. ID No. 92); GAA-TAC-TGA-GTA-AGT-TCT-TTG (Seq. ID No. 93); AAC-TGC-ACA-AAT-AGG-GTG (Seq. ID No. 94); TGG-AGA-CAC-TGT-GTT-TGT (Seq. ID No. 95); CCA-GTT-GGA-GAT-TTC-AAT (Seq. ID No. 96); GAA-GCC-TGC-CAG-TGG-ATA (Seq. ID No. 97); TAC-AGC-

ATT-CTG-GAA-ACC (Seq. ID No. 98); CCA-GAC-ACT-GCG-TAG-TGA (Seq. ID No. 99); ATA-TAA-TGC-TAG-AGG-GAG (Seq. ID No. 100); AAA-AAC-AAG-ACA-AAC-TCG (Seq. ID No. 101); ATT-TCA-GCT-GAC-TAA-ACA (Seq. ID No. 102); AAC-GAA-TTA-TGG-TCA-CAT (Seq. ID No. 103); GGT-GAC-GAC-TGA-GTT-TAA (Seq. ID No. 104); TTT-GGA-CCA-CTC-TGT-GGC (Seq. ID No. 105); AAC-GGG-ATA-ACT-GCA-CCT (Seq. ID No. 106); TTT-GTG-GTT-TGT-GGT-GGA (Seq. ID No. 107); AGG-GAA-TAG-CTT-CAT-AGA (Seq. ID No. 108); ATC-ACG-AAG-AAG-GTT-CTG (Seq. ID No. 109); CCG-AAG-ATG-TCT-TTG-GAA (Seq. ID No. 110); AAA-GAG-GTC-TAC-ATG-TCC (Seq. ID No. 111); TTC-CCG-TAA-CAA-CTA-TGC (Seq. ID No. 112); TCC-CGT-AAC-AAC-TAG-GCA (Seq. ID No. 113); AAA-AGG-AGT-GAT-CCA-ACC (Seq. ID No. 114); TCC-CTT-TGG-TAG-AGC-AGG (Seq. ID No. 115); ATT-TGA-GAT-GTG-TGT-ACT-CA (Seq. ID No. 116); GCA-CTT-ACC-GGC-CTA-AG (Seq. ID No. 117) and CTC-AGA-AAC-TTA-CTC-GTG (Seq. ID No. 118).

2. (Restated) The probe of claim 1, wherein the probing nucleobase sequence is exactly as represented in the claim.
10. (Restated) A probe set comprising at least thirteen non-nucleic acid probes and which is suitable for detecting, identifying or enumerating human chromosomes X, Y, 1, 2, 3, 6, 8, 10, 11, 12, 16, 17 and 18 in a sample.
11. (Restated) The probe set of claim 10, wherein:
  - the one or more non-nucleic acid probes of the set specific for detecting human chromosome X have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:  
CTT-CAA-AGA-GGT-CCA-CGA (Seq. ID No. 1); AGG-GTT-CAA-CTG-TGT-GAC (Seq. ID No. 2); GAA-ACT-TCT-GAG-TGA-TGA (Seq. ID No. 3); CAG-TCA-TCG-CAG-AAA-ACT (Seq. ID No. 4); AGA-TTT-CAC-TGG-AAA-CGG (Seq. ID No. 5); GTT-ATG-GGA-AGG-TGA-TCC (Seq. ID No. 6); TCG-AGC-CGC-AGA-GTT-TAA (Seq. ID No. 7); CTA-TTT-AGC-GGG-CTT-GGA (Seq. ID No. 8) and TAC-AAG-GGT-GTT-GCA-AAC (Seq. ID No. 9);

the one or more non-nucleic acid probes of the set specific for detecting human chromosome Y have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

CCA-TAT-GCA-GTT-ATA-AGT-AGG (Seq. ID No. 10); TAT-TGT-ACC-AAG-CAG-AGT-ACC (Seq. ID No. 11); GGT-ATA-TAT-AAG-ATG-ACA-CAG-GA (Seq. ID No. 12); GTT-AGT-TAT-ATT-GGG-TGA-TAT-GT (Seq. ID No. 13); TCA-CAT-AAT-AGA-CAA-CAT-AC (Seq. ID No. 14); CAG-AAG-AGA-TTG-AAC-CTT (Seq. ID No. 15) and GGC-ATA-GCA-CAT-AAC-ATG (Seq. ID No. 16);

the one or more non-nucleic acid probes of the set specific for detecting human chromosome 1 have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

AAT-CGT-CAT-CGA-ATG-AAT (Seq. ID No. 17) and CAT-TGA-ACA-GAA-TTG-AAT (Seq. ID No. 18);

the one or more non-nucleic acid probes of the set specific for detecting human chromosome 2 have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

GTT-TTC-AGG-GGA-AGA-TAT (Seq. ID No. 19); TGT-GCG-CCC-TCA-ACT-AAC (Seq. ID No. 20); GAA-GCT-TCA-TTG-GGA-TGT (Seq. ID No. 21); CCA-ATA-AAA-GCT-ACA-TAG-A (Seq. ID No. 22); GAA-AAA-GTT-TCT-GAC-ATT-GC (Seq. ID No. 23); TAG-TTG-AAG-GGC-ACA-TCA (Seq. ID No. 24); CAC-AAA-TAA-GAT-TCT-AAG-AAT (Seq. ID No. 25) and TCA-AAA-GAA-TGC-TTC-AAC-AC (Seq. ID No. 26);

the one or more non-nucleic acid probes of the set specific for detecting human chromosome 3 have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

ATA-ATT-AGA-CCG-GAA-TCA-T (Seq. ID No. 27); GCT-GTT-TTC-TAA-AGG-AAA-G (Seq. ID No. 28); AAG-ACT-TCA-AAG-AGG-TCC (Seq. ID No. 29); TTT-GTC-AAG-AAT-TAT-AAG-AAG (Seq. ID No. 30); CAA-GAT-TGC-TTT-TAA-TGG (Seq. ID No. 31); TGT-GTA-

TCA-ACT-CAC-GGA (Seq. ID No. 32); CCT-CAC-AAA-GTA-GAA-ACT (Seq. ID No. 33); GAA-AAA-GCA-GTT-ACT-GAG (Seq. ID No. 34); TAA-TAA-TTA-GAC-GGA-ATC-AT (Seq. ID No. 35); TTA-CAG-GGC-ATT-GAA-GCC (Seq. ID No. 36); CAG-TTA-TGA-AGC-AGT-CTC (Seq. ID No. 37); CAC-ACC-AGA-AAA-AGC-AGT (Seq. ID No. 38); AAG-GGT-AAA-CAC-TGT-GAG (Seq. ID No. 39); AGA-CAA-CGA-AAT-ATC-TTC-ATG (Seq. ID No. 40); CTA-GCA-GTA-TGA-GGT-CAA (Seq. ID No. 41); GCA-GAC-TTC-AGA-AAC-AGA (Seq. ID No. 42); GGC-CTC-AAA-GAC-GTT-TAA (Seq. ID No. 43); GTG-AAA-GTT-CCA-AGT-GAA (Seq. ID No. 44); GAG-TGC-TTT-GAA-GCC-TAC (Seq. ID No. 45); GAA-ACA-GCA-GAG-TTG-AAA (Seq. ID No. 46); TGC-AGA-GAT-CAC-AAC-GTG (Seq. ID No. 47); ACA-AAG-AAT-CAT-TCG-CAG (Seq. ID No. 48); and AGT-GTT-AGA-AAA-CTG-CTC (Seq. ID No. 49);

the one or more non-nucleic acid probes of the set specific for detecting human chromosome 6 have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

CTG-TTC-AGA-GTA-ACA-TGA (Seq. ID No. 50); CCG-CTT-GGA-AAT-ACT-ACA (Seq. ID No. 51); GAA-ATG-GAA-ATA-TCT-CCC-C (Seq. ID No. 52); TCT-AGG-AGG-TCC-AAT-TAT (Seq. ID No. 53); GAA-TTC-CCA-AGT-GGA-TAT (Seq. ID No. 54); CTG-TAG-GTT-TAG-ATG-AAG (Seq. ID No. 55); AAG-GAG-TGT-TTC-CCA-ACT (Seq. ID No. 56); GGC-TTC-AAG-GCG-CTC-TAA (Seq. ID No. 57); GCA-GAG-ACT-TCA-AAG-TGC (Seq. ID No. 58); CAC-ACA-CAC-GGT-GGA-CCA (Seq. ID No. 59); CAA-AGG-GAA-TGT-TCC-ATT (Seq. ID No. 60); CAC-ATA-GCA-GTG-TTT-GAG (Seq. ID No. 61); CTC-AAG-GCG-GTC-CAA-TTA (Seq. ID No. 62); GAG-TCG-AAA-TGC-ACA-CAT (Seq. ID No. 63) and TAC-CAA-GAG-GAA-TGT-TGC (Seq. ID No. 64);

the one or more non-nucleic acid probes of the set specific for detecting human chromosome 8 have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

ACG-GGA-TGC-AAT-ATA-AAA (Seq. ID No. 65); TGA-AGA-TTC-TGC-ATA-CGG (Seq. ID No. 66); AAG-GTT-TGT-ACT-GAC-AGA (Seq. ID No. 67); CTG-AAC-TAT-GGT-GAA-AAA (Seq. ID No. 68); ACT-AAC-TGT-GCT-GAA-CAT (Seq. ID No. 69) and CCC-ATG-AAT-GCG-AGA-TAG (Seq. ID No. 70);

the one or more non-nucleic acid probes of the set specific for detecting human chromosome 10 have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

AAC-TGA-ACG-CAC-AGA-TGA (Seq. ID No. 71); GGC-TAA-TCT-TTG-AAA-TTG-AAA (Seq. ID No. 72); AGG-TGG-ATA-ATT-GGC-CCT (Seq. ID No. 73); TGA-AGT-CCA-AAA-AAG-CAC (Seq. ID No. 74); CTT-AGA-CAT-GGA-AAT-ATC (Seq. ID No. 75); AAG-GGG-TCT-AAC-TAA-TCA (Seq. ID No. 76) and GTA-GTT-GTT-GAG-AAT-GAT (Seq. ID No. 77);

the one or more non-nucleic acid probes of the set specific for detecting human chromosome 11 have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

AAC-TTC-CCA-GAA-CTA-CAC (Seq. ID No. 78); ATT-CTT-GAA-ATG-GAA-CAC (Seq. ID No. 79); CTG-TGA-TTG-CTG-ATT-TGG (Seq. ID No. 80); GTC-ATC-ACA-GGA-AAC-ATT (Seq. ID No. 81); GAA-ATT-TCC-TGT-TGA-CAG-A (Seq. ID No. 82) and GTT-TGA-AAG-CTG-AAC-TAT-G (Seq. ID No. 83);

the one or more non-nucleic acid probes of the set specific for detecting human chromosome 12 have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

TCC-TGT-AAT-GTT-CGA-CAG (Seq. ID No. 84); TCA-TAG-AAC-GCT-AGA-AAG (Seq. ID No. 85); ACC-TTT-CTT-TTG-ATG-AAG-GA (Seq. ID No. 86); CAA-ATA-TCA-CAA-AAA-GAG-GG (Seq. ID No. 87); GAG-TTG-AAT-AGA-GGC-AAC (Seq. ID No. 88); GGC-CAA-ATG-TAG-AAA-AGG (Seq. ID No. 89); GCG-TTC-AAC-TCA-AGG-TGT (Seq. ID No. 90); TGT-CCT-TTA-GAC-AGA-GCA (Seq. ID No. 91); TGA-GAC-CAA-ATG-TAC-AAA-AG (Seq. ID No. 92);

GAA-TAC-TGA-GTA-AGT-TCT-TTG (Seq. ID No. 93); AAC-TGC-ACA-AAT-AGG-GTG (Seq. ID No. 94); TGG-AGA-CAC-TGT-GTT-TGT (Seq. ID No. 95) and CCA-GTT-GGA-GAT-TTC-AAT (Seq. ID No. 96);

the one or more non-nucleic acid probes of the set specific for detecting human chromosome 16 have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

GAA-GCC-TGC-CAG-TGG-ATA (Seq. ID No. 97); TAC-AGC-ATT-CTG-GAA-ACC (Seq. ID No. 98); CCA-GAC-ACT-GCG-TAG-TGA (Seq. ID No. 99); ATA-TAA-TGC-TAG-AGG-GAG (Seq. ID No. 100) and AAA-AAC-AAG-ACA-AAC-TCG (Seq. ID No. 101);

the one or more non-nucleic acid probes of the set specific for detecting human chromosome 17 have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

ATT-TCA-GCT-GAC-TAA-ACA (Seq. ID No. 102); AAC-GAA-TTA-TGG-TCA-CAT (Seq. ID No. 103); GGT-GAC-GAC-TGA-GTT-TAA (Seq. ID No. 104); TTT-GGA-CCA-CTC-TGT-GGC (Seq. ID No. 105); AAC-GGG-ATA-ACT-GCA-CCT (Seq. ID No. 106); TTT-GTG-GTT-TGT-GGT-GGA (Seq. ID No. 107); AGG-GAA-TAG-CTT-CAT-AGA (Seq. ID No. 108); ATC-ACG-AAG-AAG-GTT-CTG (Seq. ID No. 109); CCG-AAG-ATG-TCT-TTG-GAA (Seq. ID No. 110) and AAA-GAG-GTC-TAC-ATG-TCC (Seq. ID No. 111);

the one or more non-nucleic acid probes of the set specific for detecting human chromosome 18 have a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

TTC-CCG-TAA-CAA-CTA-TGC (Seq. ID No. 112); TCC-CGT-AAC-AAC-TAG-GCA (Seq. ID No. 113); AAA-AGG-AGT-GAT-CCA-ACC (Seq. ID No. 114); TCC-CTT-TGG-TAG-AGC-AGG (Seq. ID No. 115); ATT-TGA-GAT-GTG-TGT-ACT-CA (Seq. ID No. 116); GCA-CTT-ACC-GGC-CTA-AG (Seq. ID No. 117) and CTC-AGA-AAC-TTA-CTC-GTG (Seq. ID No. 118).

12. (Restated) The probe set of claim 11, wherein the probing nucleobase sequence of the probes of the set are exactly as represented in the claim.
29. (Restated) A probe set comprising non-nucleic acid probes suitable for detecting the presence, absence or number of human chromosome 3 in a sample wherein the probing nucleobase sequence of at least one probe comprises a segment, at least a portion of which is, at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:  
ATA-ATT-AGA-CCG-GAA-TCA-T (Seq. ID No. 27); GCT-GTT-TTC-TAA-AGG-AAA-G (Seq. ID No. 28); AAG-ACT-TCA-AAG-AGG-TCC (Seq. ID No. 29); TTT-GTC-AAG-AAT-TAT-AAG-AAG (Seq. ID No. 30); CAA-GAT-TGC-TTT-TAA-TGG (Seq. ID No. 31); TGT-GTA-TCA-ACT-CAC-GGA (Seq. ID No. 32); CCT-CAC-AAA-GTA-GAA-ACT (Seq. ID No. 33); GAA-AAA-GCA-GTT-ACT-GAG (Seq. ID No. 34); TAA-TAA-TTA-GAC-GGA-ATC-AT (Seq. ID No. 35); TTA-CAG-GGC-ATT-GAA-GCC (Seq. ID No. 36); CAG-TTA-TGA-AGC-AGT-CTC (Seq. ID No. 37); CAC-ACC-AGA-AAA-AGC-AGT (Seq. ID No. 38); AAG-GGT-AAA-CAC-TGT-GAG (Seq. ID No. 39); AGA-CAA-CGA-AAT-ATC-TTC-ATG (Seq. ID No. 40); CTA-GCA-GTA-TGA-GGT-CAA (Seq. ID No. 41); GCA-GAC-TTC-AGA-AAC-AGA (Seq. ID No. 42); GGC-CTC-AAA-GAC-GTT-TAA (Seq. ID No. 43); GTG-AAA-GTT-CCA-AGT-GAA (Seq. ID No. 44); GAG-TGC-TTT-GAA-GCC-TAC (Seq. ID No. 45); GAA-ACA-GCA-GAG-TTG-AAA (Seq. ID No. 46); TGC-AGA-GAT-CAC-AAC-GTG (Seq. ID No. 47); ACA-AAG-AAT-CAT-TCG-CAG (Seq. ID No. 48); and AGT-GTT-AGA-AAA-CTG-CTC (Seq. ID No. 49);
31. (Restated) A probe set comprising non-nucleic acid probes suitable for detecting the presence, absence or number of human chromosome 8 in a sample wherein the probing nucleobase sequence of at least one probe comprises a segment, at least a portion of which is, at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:  
ACG-GGA-TGC-AAT-ATA-AAA (Seq. ID No. 65); TGA-AGA-TTC-TGC-ATA-CGG (Seq. ID No. 66); AAG-GTT-TGT-ACT-GAC-AGA (Seq. ID No. 67); CTG-AAC-TAT-GGT-GAA-AAA (Seq. ID No. 68); ACT-AAC-TGT-



GCT-GAA-CAT (Seq. ID No. 69) and CCC-ATG-AAT-GCG-AGA-TAG  
(Seq. ID No. 70);

33. (Restated) A probe set comprising non-nucleic acid probes suitable for detecting the presence, absence or number of human chromosome 11 in a sample wherein the probing nucleobase sequence of at least one probe comprises a segment, at least a portion of which is, at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

AAC-TTC-CCA-GAA-CTA-CAC (Seq. ID No. 78); ATT-CTT-GAA-ATG-GAA-CAC (Seq. ID No. 79); CTG-TGA-TTG-CTG-ATT-TGG (Seq. ID No. 80); GTC-ATC-ACA-GGA-AAC-ATT (Seq. ID No. 81); GAA-ATT-TCC-TGT-TGA-CAG-A (Seq. ID No. 82) and GTT-TGA-AAG-CTG-AAC-TAT-G (Seq. ID No. 83);

34. (Restated) A probe set comprising non-nucleic acid probes suitable for detecting the presence, absence or number of human chromosome 12 in a sample wherein the probing nucleobase sequence of at least one probe comprises a segment, at least a portion of which is, at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

TCC-TGT-AAT-GTT-CGA-CAG (Seq. ID No. 84); TCA-TAG-AAC-GCT-AGA-AAG (Seq. ID No. 85); ACC-TTT-CTT-TTG-ATG-AAG-GA (Seq. ID No. 86); CAA-ATA-TCA-CAA-AAA-GAG-GG (Seq. ID No. 87); GAG-TTG-AAT-AGA-GGC-AAC (Seq. ID No. 88); GGC-CAA-ATG-TAG-AAA-AGG (Seq. ID No. 89); GCG-TTC-AAC-TCA-AGG-TGT (Seq. ID No. 90); TGT-CCT-TTA-GAC-AGA-GCA (Seq. ID No. 91); TGA-GAC-CAA-ATG-TAC-AAA-AG (Seq. ID No. 92); GAA-TAC-TGA-GTA-AGT-TCT-TTG (Seq. ID No. 93); AAC-TGC-ACA-AAT-AGG-GTG (Seq. ID No. 94); TGG-AGA-CAC-TGT-GTT-TGT (Seq. ID No. 95) and CCA-GTT-GGA-GAT-TTC-AAT (Seq. ID No. 96);

38. (Amended) A method for detecting, identifying or quantitating one or more of human chromosomes Y, 1, 2, 3, 6, 8, 10, 11, 12, 16, 17 or 18 in a sample, said method comprising:



B2  
uncle

- a) contacting the sample with one or more non-nucleic acid probes having a probing nucleobase sequence which is specific for one or more of human chromosomes Y, 1, 2, 3, 6, 8, 10, 11, 12, 16, 17 or 18; and
- b) detecting, identify or quantitating hybridization of the probing nucleobase sequence of non-nucleic acid probes to the target sequences of the chromosomes, and correlating the result with the presence, absence or number of the chromosomes in the sample.

39. (Restated) The method of claim 38, wherein the probing nucleobase sequence of at least one probe of the set comprises a segment, at least a portion of which is, at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:

CCA-TAT-GCA-GTT-ATA-AGT-AGG (Seq. ID No. 10); TAT-TGT-ACC-AAG-CAG-AGT-ACC (Seq. ID No. 11); GGT-ATA-TAT-AAG-ATG-ACA-CAG-GA (Seq. ID No. 12); GTT-AGT-TAT-ATT-GGG-TGA-TAT-GT (Seq. ID No. 13); TCA-CAT-AAT-AGA-CAA-CAT-AC (Seq. ID No. 14); CAG-AAG-AGA-TTG-AAC-CTT (Seq. ID No. 15); GGC-ATA-GCA-CAT-AAC-ATG (Seq. ID No. 16); AAT-CGT-CAT-CGA-ATG-AAT (Seq. ID No. 17); CAT-TGA-ACA-GAA-TTG-AAT (Seq. ID No. 18); GTT-TTC-AGG-GGA-AGA-TAT (Seq. ID No. 19); TGT-GCG-CCC-TCA-ACT-AAC (Seq. ID No. 20); GAA-GCT-TCA-TTG-GGA-TGT (Seq. ID No. 21); CCA-ATA-AAA-GCT-ACA-TAG-A (Seq. ID No. 22); GAA-AAA-GTT-TCT-GAC-ATT-GC (Seq. ID No. 23); TAG-TTG-AAG-GGC-ACA-TCA (Seq. ID No. 24); CAC-AAA-TAA-GAT-TCT-AAG-AAT (Seq. ID No. 25); TCA-AAA-GAA-TGC-TTC-AAC-AC (Seq. ID No. 26); ATA-ATT-AGA-CCG-GAA-TCA-T (Seq. ID No. 27); GCT-GTT-TTC-TAA-AGG-AAA-G (Seq. ID No. 28); AAG-ACT-TCA-AAG-AGG-TCC (Seq. ID No. 29); TTT-GTC-AAG-AAT-TAT-AAG-AAG (Seq. ID No. 30); CAA-GAT-TGC-TTT-TAA-TGG (Seq. ID No. 31); TGT-GTA-TCA-ACT-CAC-GGA (Seq. ID No. 32); CCT-CAC-AAA-GTA-GAA-ACT (Seq. ID No. 33); GAA-AAA-GCA-GTT-ACT-GAG (Seq. ID No. 34); TAA-TAA-TTA-GAC-GGA-ATC-AT (Seq. ID No. 35); TTA-CAG-GGC-ATT-GAA-GCC (Seq. ID No. 36); CAG-TTA-TGA-AGC-AGT-CTC (Seq. ID No. 37); CAC-ACC-AGA-AAA-AGC-AGT (Seq. ID No. 38);

AAG-GGT-AAA-CAC-TGT-GAG (Seq. ID No. 39); AGA-CAA-  
CGA-AAT-ATC-TTC-ATG (Seq. ID No. 40); CTA-GCA-GTA-TGA-  
GGT-CAA (Seq. ID No. 41); GCA-GAC-TTC-AGA-AAC-AGA (Seq.  
ID No. 42); GGC-CTC-AAA-GAC-GTT-TAA (Seq. ID No. 43); GTG-  
AAA-GTT-CCA-AGT-GAA (Seq. ID No. 44); GAG-TGC-TTT-GAA-  
GCC-TAC (Seq. ID No. 45); GAA-ACA-GCA-GAG-TTG-AAA (Seq.  
ID No. 46); TGC-AGA-GAT-CAC-AAC-GTG (Seq. ID No. 47);  
ACA-AAG-AAT-CAT-TCG-CAG (Seq. ID No. 48); AGT-GTT-AGA-  
AAA-CTG-CTC (Seq. ID No. 49); CTG-TTC-AGA-GTA-ACA-TGA  
(Seq. ID No. 50); CCG-CTT-GGA-AAT-ACT-ACA (Seq. ID No. 51);  
GAA-ATG-GAA-ATA-TCT-CCC-C (Seq. ID No. 52); TCT-AGG-  
AGG-TCC-AAT-TAT (Seq. ID No. 53); GAA-TTC-CCA-AGT-GGA-  
TAT (Seq. ID No. 54); CTG-TAG-GTT-TAG-ATG-AAG (Seq. ID No.  
55); AAG-GAG-TGT-TTC-CCA-ACT (Seq. ID No. 56); GGC-TTC-  
AAG-GCG-CTC-TAA (Seq. ID No. 57); GCA-GAG-ACT-TCA-AAG-  
TGC (Seq. ID No. 58); CAC-ACA-CAC-GGT-GGA-CCA (Seq. ID  
No. 59); CAA-AGG-GAA-TGT-TCC-ATT (Seq. ID No. 60); CAC-  
ATA-GCA-GTG-TTT-GAG (Seq. ID No. 61); CTC-AAG-GCG-GTC-  
CAA-TTA (Seq. ID No. 62); GAG-TCG-AAA-TGC-ACA-CAT (Seq.  
ID No. 63); TAC-CAA-GAG-GAA-TGT-TGC (Seq. ID No. 64); ACG-  
GGA-TGC-AAT-ATA-AAA (Seq. ID No. 65); TGA-AGA-TTC-TGC-  
ATA-CGG (Seq. ID No. 66); AAG-GTT-TGT-ACT-GAC-AGA (Seq.  
ID No. 67); CTG-AAC-TAT-GGT-GAA-AAA (Seq. ID No. 68); ACT-  
AAC-TGT-GCT-GAA-CAT (Seq. ID No. 69); CCC-ATG-AAT-GCG-  
AGA-TAG (Seq. ID No. 70); AAC-TGA-ACG-CAC-AGA-TGA (Seq.  
ID No. 71); GGC-TAA-TCT-TTG-AAA-TTG-AAA (Seq. ID No. 72);  
AGG-TGG-ATA-ATT-GGC-CCT (Seq. ID No. 73); TGA-AGT-CCA-  
AAA-AAG-CAC (Seq. ID No. 74); CTT-AGA-CAT-GGA-AAT-ATC  
(Seq. ID No. 75); AAG-GGG-TCT-AAC-TAA-TCA (Seq. ID No. 76);  
GTA-GTT-GTT-GAG-AAT-GAT (Seq. ID No. 77); AAC-TTC-CCA-  
GAA-CTA-CAC (Seq. ID No. 78); ATT-CTT-GAA-ATG-GAA-CAC  
(Seq. ID No. 79); CTG-TGA-TTG-CTG-ATT-TGG (Seq. ID No. 80);  
GTC-ATC-ACA-GGA-AAC-ATT (Seq. ID No. 81); GAA-ATT-TCC-  
TGT-TGA-CAG-A (Seq. ID No. 82); GTT-TGA-AAG-CTG-AAC-  
TAT-G (Seq. ID No. 83); TCC-TGT-AAT-GTT-CGA-CAG (Seq. ID

No. 84); TCA-TAG-AAC-GCT-AGA-AAG (Seq. ID No. 85); ACC-TTT-CTT-TTG-ATG-AAG-GA (Seq. ID No. 86); CAA-ATA-TCA-CAA-AAA-GAG-GG (Seq. ID No. 87); GAG-TTG-AAT-AGA-GGC-AAC (Seq. ID No. 88); GGC-CAA-ATG-TAG-AAA-AGG (Seq. ID No. 89); GCG-TTC-AAC-TCA-AGG-TGT (Seq. ID No. 90); TGT-CCT-TTA-GAC-AGA-GCA (Seq. ID No. 91); TGA-GAC-CAA-ATG-TAC-AAA-AG (Seq. ID No. 92); GAA-TAC-TGA-GTA-AGT-TCT-TTG (Seq. ID No. 93); AAC-TGC-ACA-AAT-AGG-GTG (Seq. ID No. 94); TGG-AGA-CAC-TGT-GTT-TGT (Seq. ID No. 95); CCA-GTT-GGA-GAT-TTC-AAT (Seq. ID No. 96); GAA-GCC-TGC-CAG-TGG-ATA (Seq. ID No. 97); TAC-AGC-ATT-CTG-GAA-ACC (Seq. ID No. 98); CCA-GAC-ACT-GCG-TAG-TGA (Seq. ID No. 99); ATA-TAA-TGC-TAG-AGG-GAG (Seq. ID No. 100); AAA-AAC-AAG-ACA-AAC-TCG (Seq. ID No. 101); ATT-TCA-GCT-GAC-TAA-ACA (Seq. ID No. 102); AAC-GAA-TTA-TGG-TCA-CAT (Seq. ID No. 103); GGT-GAC-GAC-TGA-GTT-TAA (Seq. ID No. 104); TTT-GGA-CCA-CTC-TGT-GGC (Seq. ID No. 105); AAC-GGG-ATA-ACT-GCA-CCT (Seq. ID No. 106); TTT-GTG-GTT-TGT-GGT-GGA (Seq. ID No. 107); AGG-GAA-TAG-CTT-CAT-AGA (Seq. ID No. 108); ATC-ACG-AAG-AAG-GTT-CTG (Seq. ID No. 109); CCG-AAG-ATG-TCT-TTG-GAA (Seq. ID No. 110); AAA-GAG-GTC-TAC-ATG-TCC (Seq. ID No. 111); TTC-CCG-TAA-CAA-CTA-TGC (Seq. ID No. 112); TCC-CGT-AAC-AAC-TAG-GCA (Seq. ID No. 113); AAA-AGG-AGT-GAT-CCA-ACC (Seq. ID No. 114); TCC-CTT-TGG-TAG-AGC-AGG (Seq. ID No. 115); ATT-TGA-GAT-GTG-TGT-ACT-CA (Seq. ID No. 116); GCA-CTT-ACC-GGC-CTA-AG (Seq. ID No. 117) and CTC-AGA-AAC-TTA-CTC-GTG (Seq. ID No. 118).

40. (Amended) A method for detecting, identifying or quantitating one or more of human chromosomes X, Y, 1, 2, 3, 6, 8, 10, 11, 12, 16, 17 or 18 in a sample, said method comprising:

- a) contacting the sample with one or more non-nucleic acid probes having a probing nucleobase sequence at least a portion of which is, at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of: CTT-CAA-AGA-

GGT-CCA-CGA (Seq. ID No. 1); AGG-GTT-CAA-CTG-TGT-GAC (Seq. ID No. 2); GAA-ACT-TCT-GAG-TGA-TGA (Seq. ID No. 3); CAG-TCA-TCG-CAG-AAA-ACT (Seq. ID No. 4); AGA-TTT-CAC-TGG-AAA-CGG (Seq. ID No. 5); GTT-ATG-GGA-AGG-TGA-TCC (Seq. ID No. 6); TCG-AGC-CGC-AGA-GTT-TAA (Seq. ID No. 7); CTA-TTT-AGC-GGG-CTT-GGA (Seq. ID No. 8); TAC-AAG-GGT-GTT-GCA-AAC (Seq. ID No. 9); CCA-TAT-GCA-GTT-ATA-AGT-AGG (Seq. ID No. 10); TAT-TGT-ACC-AAG-CAG-AGT-ACC (Seq. ID No. 11); GGT-ATA-TAT-AAG-ATG-ACA-CAG-GA (Seq. ID No. 12); GTT-AGT-TAT-ATT-GGG-TGA-TAT-GT (Seq. ID No. 13); TCA-CAT-AAT-AGA-CAA-CAT-AC (Seq. ID No. 14); CAG-AAG-AGA-TTG-AAC-CTT (Seq. ID No. 15); GGC-ATA-GCA-CAT-AAC-ATG (Seq. ID No. 16); AAT-CGT-CAT-CGA-ATG-AAT (Seq. ID No. 17); CAT-TGA-ACA-GAA-TTG-AAT (Seq. ID No. 18); GTT-TTC-AGG-GGA-AGA-TAT (Seq. ID No. 19); TGT-GCG-CCC-TCA-ACT-AAC (Seq. ID No. 20); GAA-GCT-TCA-TTG-GGA-TGT (Seq. ID No. 21); CCA-ATA-AAA-GCT-ACA-TAG-A (Seq. ID No. 22); GAA-AAA-GTT-TCT-GAC-ATT-GC (Seq. ID No. 23); TAG-TTG-AAG-GGC-ACA-TCA (Seq. ID No. 24); CAC-AAA-TAA-GAT-TCT-AAG-AAT (Seq. ID No. 25); TCA-AAA-GAA-TGC-TTC-AAC-AC (Seq. ID No. 26); ATA-ATT-AGA-CCG-GAA-TCA-T (Seq. ID No. 27); GCT-GTT-TTC-TAA-AGG-AAA-G (Seq. ID No. 28); AAG-ACT-TCA-AAG-AGG-TCC (Seq. ID No. 29); TTT-GTC-AAG-AAT-TAT-AAG-AAG (Seq. ID No. 30); CAA-GAT-TGC-TTT-TAA-TGG (Seq. ID No. 31); TGT-GTA-TCA-ACT-CAC-GGA (Seq. ID No. 32); CCT-CAC-AAA-GTA-GAA-ACT (Seq. ID No. 33); GAA-AAA-GCA-GTT-ACT-GAG (Seq. ID No. 34); TAA-TAA-TTA-GAC-GGA-ATC-AT (Seq. ID No. 35); TTA-CAG-GGC-ATT-GAA-GCC (Seq. ID No. 36); CAG-TTA-TGA-AGC-AGT-CTC (Seq. ID No. 37); CAC-ACC-AGA-AAA-AGC-AGT (Seq. ID No. 38); AAG-GGT-AAA-CAC-TGT-GAG (Seq. ID No. 39); AGA-CAA-CGA-AAT-ATC-TTC-ATG (Seq. ID No. 40); CTA-GCA-GTA-TGA-GGT-CAA (Seq. ID No. 41); GCA-GAC-TTC-AGA-AAC-AGA (Seq. ID No. 42); GGC-CTC-AAA-GAC-GTT-TAA (Seq. ID No. 43); GTG-AAA-GTT-CCA-AGT-GAA (Seq. ID No. 44); GAG-TGC-TTT-GAA-GCC-TAC (Seq. ID No. 45); GAA-ACA-GCA-GAG-TTG-AAA (Seq.

B3  
cont

ID No. 46); TGC-AGA-GAT-CAC-AAC-GTG (Seq. ID No. 47); ACA-AAG-AAT-CAT-TCG-CAG (Seq. ID No. 48); AGT-GTT-AGA-AAA-CTG-CTC (Seq. ID No. 49); CTG-TTC-AGA-GTA-ACA-TGA (Seq. ID No. 50); CCG-CTT-GGA-AAT-ACT-ACA (Seq. ID No. 51); GAA-ATG-GAA-ATA-TCT-CCC-C (Seq. ID No. 52); TCT-AGG-AGG-TCC-AAT-TAT (Seq. ID No. 53); GAA-TTC-CCA-AGT-GGA-TAT (Seq. ID No. 54); CTG-TAG-GTT-TAG-ATG-AAG (Seq. ID No. 55); AAG-GAG-TGT-TTC-CCA-ACT (Seq. ID No. 56); GGC-TTC-AAG-GCG-CTC-TAA (Seq. ID No. 57); GCA-GAG-ACT-TCA-AAG-TGC (Seq. ID No. 58); CAC-ACA-CAC-GGT-GGA-CCA (Seq. ID No. 59); CAA-AGG-GAA-TGT-TCC-ATT (Seq. ID No. 60); CAC-ATA-GCA-GTG-TTT-GAG (Seq. ID No. 61); CTC-AAG-GCG-GTC-CAA-TTA (Seq. ID No. 62); GAG-TCG-AAA-TGC-ACA-CAT (Seq. ID No. 63); TAC-CAA-GAG-GAA-TGT-TGC (Seq. ID No. 64); ACG-GGA-TGC-AAT-ATA-AAA (Seq. ID No. 65); TGA-AGA-TTC-TGC-ATA-CGG (Seq. ID No. 66); AAG-GTT-TGT-ACT-GAC-AGA (Seq. ID No. 67); CTG-AAC-TAT-GGT-GAA-AAA (Seq. ID No. 68); ACT-AAC-TGT-GCT-GAA-CAT (Seq. ID No. 69); CCC-ATG-AAT-GCG-AGA-TAG (Seq. ID No. 70); AAC-TGA-ACG-CAC-AGA-TGA (Seq. ID No. 71); GGC-TAA-TCT-TTG-AAA-TTG-AAA (Seq. ID No. 72); AGG-TGG-ATA-ATT-GGC-CCT (Seq. ID No. 73); TGA-AGT-CCA-AAA-AAG-CAC (Seq. ID No. 74); CTT-AGA-CAT-GGA-AAT-ATC (Seq. ID No. 75); AAG-GGG-TCT-AAC-TAA-TCA (Seq. ID No. 76); GTA-GTT-GTT-GAG-AAT-GAT (Seq. ID No. 77); AAC-TTC-CCA-GAA-CTA-CAC (Seq. ID No. 78); ATT-CTT-GAA-ATG-GAA-CAC (Seq. ID No. 79); CTG-TGA-TTG-CTG-ATT-TGG (Seq. ID No. 80); GTC-ATC-ACA-GGA-AAC-ATT (Seq. ID No. 81); GAA-ATT-TCC-TGT-TGA-CAG-A (Seq. ID No. 82); GTT-TGA-AAG-CTG-AAC-TAT-G (Seq. ID No. 83); TCC-TGT-AAT-GTT-CGA-CAG (Seq. ID No. 84); TCA-TAG-AAC-GCT-AGA-AAG (Seq. ID No. 85); ACC-TTT-CTT-TTG-ATG-AAG-GA (Seq. ID No. 86); CAA-ATA-TCA-CAA-AAA-GAG-GG (Seq. ID No. 87); GAG-TTG-AAT-AGA-GGC-AAC (Seq. ID No. 88); GGC-CAA-ATG-TAG-AAA-AGG (Seq. ID No. 89); GCG-TTC-AAC-TCA-AGG-TGT (Seq. ID No. 90); TGT-CCT-TTA-GAC-AGA-GCA (Seq. ID No. 91); TGA-GAC-CAA-ATG-TAC-AAA-AG (Seq. ID No. 92);

B3  
Lmtd

GAA-TAC-TGA-GTA-AGT-TCT-TTG (Seq. ID No. 93); AAC-TGC-ACA-AAT-AGG-GTG (Seq. ID No. 94); TGG-AGA-CAC-TGT-GTT-TGT (Seq. ID No. 95); CCA-GTT-GGA-GAT-TTC-AAT (Seq. ID No. 96); GAA-GCC-TGC-CAG-TGG-ATA (Seq. ID No. 97); TAC-AGC-ATT-CTG-GAA-ACC (Seq. ID No. 98); CCA-GAC-ACT-GCG-TAG-TGA (Seq. ID No. 99); ATA-TAA-TGC-TAG-AGG-GAG (Seq. ID No. 100); AAA-AAC-AAG-ACA-AAC-TCG (Seq. ID No. 101); ATT-TCA-GCT-GAC-TAA-ACA (Seq. ID No. 102); AAC-GAA-TTA-TGG-TCA-CAT (Seq. ID No. 103); GGT-GAC-GAC-TGA-GTT-TAA (Seq. ID No. 104); TTT-GGA-CCA-CTC-TGT-GGC (Seq. ID No. 105); AAC-GGG-ATA-ACT-GCA-CCT (Seq. ID No. 106); TTT-GTG-GTT-TGT-GGT-GGA (Seq. ID No. 107); AGG-GAA-TAG-CTT-CAT-AGA (Seq. ID No. 108); ATC-ACG-AAG-AAG-GTT-CTG (Seq. ID No. 109); CCG-AAG-ATG-TCT-TTG-GAA (Seq. ID No. 110); AAA-GAG-GTC-TAC-ATG-TCC (Seq. ID No. 111); TTC-CCG-TAA-CAA-CTA-TGC (Seq. ID No. 112); TCC-CGT-AAC-AAC-TAG-GCA (Seq. ID No. 113); AAA-AGG-AGT-GAT-CCA-ACC (Seq. ID No. 114); TCC-CTT-TGG-TAG-AGC-AGG (Seq. ID No. 115); ATT-TGA-GAT-GTG-TGT-ACT-CA (Seq. ID No. 116); GCA-CTT-ACC-GGC-CTA-AG (Seq. ID No. 117) and CTC-AGA-AAC-TTA-CTC-GTG (Seq. ID No. 118); and

- b) detecting, identify or quantitating hybridization of the probing nucleobase sequence of non-nucleic acid probes to the target sequences of the chromosomes, and correlating the result with the presence, absence or number of the chromosomes in the sample.

45. (Amended) The method of claim 40, wherein the presence, absence or number of human chromosome 3 is determined by:

- a) contacting the sample with one or more non-nucleic acid probes, wherein at least one probe has a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:  
ATA-ATT-AGA-CCG-GAA-TCA-T (Seq. ID No. 27); GCT-GTT-TTC-TAA-AGG-AAA-G (Seq. ID No. 28); AAG-ACT-TCA-AAG-AGG-TCC (Seq. ID No. 29); TTT-GTC-AAG-AAT-TAT-AAG-AAG (Seq. ID No. 30); CAA-GAT-TGC-TTT-TAA-TGG (Seq. ID No. 31);

TGT-GTA-TCA-ACT-CAC-GGA (Seq. ID No. 32); CCT-CAC-AAA-GTA-GAA-ACT (Seq. ID No. 33); GAA-AAA-GCA-GTT-ACT-GAG (Seq. ID No. 34); TAA-TAA-TTA-GAC-GGA-ATC-AT (Seq. ID No. 35); TTA-CAG-GGC-ATT-GAA-GCC (Seq. ID No. 36); CAG-TTA-TGA-AGC-AGT-CTC (Seq. ID No. 37); CAC-ACC-AGA-AAA-AGC-AGT (Seq. ID No. 38); AAG-GGT-AAA-CAC-TGT-GAG (Seq. ID No. 39); AGA-CAA-CGA-AAT-ATC-TTC-ATG (Seq. ID No. 40); CTA-GCA-GTA-TGA-GGT-CAA (Seq. ID No. 41); GCA-GAC-TTC-AGA-AAC-AGA (Seq. ID No. 42); GGC-CTC-AAA-GAC-GTT-TAA (Seq. ID No. 43); GTG-AAA-GTT-CCA-AGT-GAA (Seq. ID No. 44); GAG-TGC-TTT-GAA-GCC-TAC (Seq. ID No. 45); GAA-ACA-GCA-GAG-TTG-AAA (Seq. ID No. 46); TGC-AGA-GAT-CAC-AAC-GTG (Seq. ID No. 47); ACA-AAG-AAT-CAT-TCG-CAG (Seq. ID No. 48); and AGT-GTT-AGA-AAA-CTG-CTC (Seq. ID No. 49); and

- b) detecting, identifying or quantitating hybridization of the probing nucleobase sequence of the probe to a target sequence in the sample to thereby correlate the result with the presence, absence or number of human chromosome 3 in the sample.

47. (Amended) The method of claim 40, wherein the presence, absence or number of human chromosome 8 is determined by:

- a) contacting the sample with one or more non-nucleic acid probes, wherein at least one probe has a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of: ACG-GGA-TGC-AAT-ATA-AAA (Seq. ID No. 65); TGA-AGA-TTC-TGC-ATA-CGG (Seq. ID No. 66); AAG-GTT-TGT-ACT-GAC-AGA (Seq. ID No. 67); CTG-AAC-TAT-GGT-GAA-AAA (Seq. ID No. 68); ACT-AAC-TGT-GCT-GAA-CAT (Seq. ID No. 69) and CCC-ATG-AAT-GCG-AGA-TAG (Seq. ID No. 70); and
- b) detecting, identifying or quantitating hybridization of the probing nucleobase sequence of the probe to a target sequence in the sample to thereby correlate the result with the presence, absence or number of human chromosome 8 in the sample.



49. (Amended) The method of claim 40, wherein the presence, absence or number of human chromosome 11 is determined by:

- a) contacting the sample with one or more non-nucleic acid probes, wherein at least one probe has a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:  
AAC-TTC-CCA-GAA-CTA-CAC (Seq. ID No. 78); ATT-CTT-GAA-ATG-GAA-CAC (Seq. ID No. 79); CTG-TGA-TTG-CTG-ATT-TGG (Seq. ID No. 80); GTC-ATC-ACA-GGA-AAC-ATT (Seq. ID No. 81); GAA-ATT-TCC-TGT-TGA-CAG-A (Seq. ID No. 82) and GTT-TGA-AAG-CTG-AAC-TAT-G (Seq. ID No. 83); and
- b) detecting, identifying or quantitating hybridization of the probing nucleobase sequence of the probe to a target sequence in the sample to thereby correlate the result with the presence, absence or number of human chromosome 11 in the sample.

50. (Amended) The method of claim 40, wherein the presence, absence or number of human chromosome 12 is determined by:

- a) contacting the sample with one or more non-nucleic acid probes, wherein at least one probe has a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of:  
TCC-TGT-AAT-GTT-CGA-CAG (Seq. ID No. 84); TCA-TAG-AAC-GCT-AGA-AAG (Seq. ID No. 85); ACC-TTT-CTT-TTG-ATG-AAG-GA (Seq. ID No. 86); CAA-ATA-TCA-CAA-AAA-GAG-GG (Seq. ID No. 87); GAG-TTG-AAT-AGA-GGC-AAC (Seq. ID No. 88); GGC-CAA-ATG-TAG-AAA-AGG (Seq. ID No. 89); GCG-TTC-AAC-TCA-AGG-TGT (Seq. ID No. 90); TGT-CCT-TTA-GAC-AGA-GCA (Seq. ID No. 91); TGA-GAC-CAA-ATG-TAC-AAA-AG (Seq. ID No. 92); GAA-TAC-TGA-GTA-AGT-TCT-TTG (Seq. ID No. 93); AAC-TGC-ACA-AAT-AGG-GTG (Seq. ID No. 94); TGG-AGA-CAC-TGT-GTT-TGT (Seq. ID No. 95) and CCA-GTT-GGA-GAT-TTC-AAT (Seq. ID No. 96); and
- b) detecting, identifying or quantitating hybridization of the probing nucleobase sequence of the probe to a target sequence in the sample to

*B6  
Amended*

thereby correlate the result with the presence, absence or number of human chromosome 12 in the sample.

---

54. (Restated) The method of claim 40, wherein the two or more probes are unlabeled.
55. (Restated) The method of claim 40, wherein at least one probe is labeled with a detectable moiety.
56. (Restated) The method of claim 55, wherein the detectable moiety or moieties are selected from the group consisting of: a dextran conjugate, a branched nucleic acid detection system, a chromophore, a fluorophore, a spin label, a radioisotope, an enzyme, a hapten, an acridinium ester and a chemiluminescent compound.
- 

64. (Amended) A kit suitable for performing an assay which detects the presence, absence or number of human chromosomes X, Y, 1, 2, 3, 6, 8, 10, 11, 12, 16, 17 or 18 in a sample, wherein said kit comprises:

- B7*
- a) one or more non-nucleic acid probes wherein at least one probe has a probing nucleobase sequence, at least a portion of which is at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of: CTT-CAA-AGA-GGT-CCA-CGA (Seq. ID No. 1); AGG-GTT-CAA-CTG-TGT-GAC (Seq. ID No. 2); GAA-ACT-TCT-GAG-TGA-TGA (Seq. ID No. 3); CAG-TCA-TCG-CAG-AAA-ACT (Seq. ID No. 4); AGA-TTT-CAC-TGG-AAA-CGG (Seq. ID No. 5); GTT-ATG-GGA-AGG-TGA-TCC (Seq. ID No. 6); TCG-AGC-CGC-AGA-GTT-TAA (Seq. ID No. 7); CTA-TTT-AGC-GGG-CTT-GGA (Seq. ID No. 8); TAC-AAG-GGT-GTT-GCA-AAC (Seq. ID No. 9); CCA-TAT-GCA-GTT-ATA-AGT-AGG (Seq. ID No. 10); TAT-TGT-ACC-AAG-CAG-AGT-ACC (Seq. ID No. 11); GGT-ATA-TAT-AAG-ATG-ACA-CAG-GA (Seq. ID No. 12); GTT-AGT-TAT-ATT-GGG-TGA-TAT-GT (Seq. ID No. 13); TCA-CAT-AAT-AGA-CAA-CAT-AC (Seq. ID No. 14); CAG-AAG-AGA-TTG-AAC-CTT (Seq. ID No. 15); GGC-ATA-GCA-CAT-AAC-ATG (Seq. ID No. 16); AAT-CGT-CAT-CGA-ATG-AAT (Seq. ID No. 17); CAT-TGA-ACA-GAA-TTG-AAT (Seq. ID No. 18); GTT-TTC-AGG-GGA-AGA-TAT (Seq. ID No. 19); TGT-GCG-

CCC-TCA-ACT-AAC (Seq. ID No. 20); GAA-GCT-TCA-TTG-GGA-TGT (Seq. ID No. 21); CCA-ATA-AAA-GCT-ACA-TAG-A (Seq. ID No. 22); GAA-AAA-GTT-TCT-GAC-ATT-GC (Seq. ID No. 23); TAG-TTG-AAG-GGC-ACA-TCA (Seq. ID No. 24); CAC-AAA-TAA-GAT-TCT-AAG-AAT (Seq. ID No. 25); TCA-AAA-GAA-TGC-TTC-AAC-AC (Seq. ID No. 26); ATA-ATT-AGA-CCG-GAA-TCA-T (Seq. ID No. 27); GCT-GTT-TTC-TAA-AGG-AAA-G (Seq. ID No. 28); AAG-ACT-TCA-AAG-AGG-TCC (Seq. ID No. 29); TTT-GTC-AAG-AAT-TAT-AAG-AAG (Seq. ID No. 30); CAA-GAT-TGC-TTT-TAA-TGG (Seq. ID No. 31); TGT-GTA-TCA-ACT-CAC-GGA (Seq. ID No. 32); CCT-CAC-AAA-GTA-GAA-ACT (Seq. ID No. 33); GAA-AAA-GCA-GTT-ACT-GAG (Seq. ID No. 34); TAA-TAA-TTA-GAC-GGA-ATC-AT (Seq. ID No. 35); TTA-CAG-GGC-ATT-GAA-GCC (Seq. ID No. 36); CAG-TTA-TGA-AGC-AGT-CTC (Seq. ID No. 37); CAC-ACC-AGA-AAA-AGC-AGT (Seq. ID No. 38); AAG-GGT-AAA-CAC-TGT-GAG (Seq. ID No. 39); AGA-CAA-CGA-AAT-ATC-TTC-ATG (Seq. ID No. 40); CTA-GCA-GTA-TGA-GGT-CAA (Seq. ID No. 41); GCA-GAC-TTC-AGA-AAC-AGA (Seq. ID No. 42); GGC-CTC-AAA-GAC-GTT-TAA (Seq. ID No. 43); GTG-AAA-GTT-CCA-AGT-GAA (Seq. ID No. 44); GAG-TGC-TTT-GAA-GCC-TAC (Seq. ID No. 45); GAA-ACA-GCA-GAG-TTG-AAA (Seq. ID No. 46); TGC-AGA-GAT-CAC-AAC-GTG (Seq. ID No. 47); ACA-AAG-AAT-CAT-TCG-CAG (Seq. ID No. 48); AGT-GTT-AGA-AAA-CTG-CTC (Seq. ID No. 49); CTG-TTC-AGA-GTA-ACA-TGA (Seq. ID No. 50); CCG-CTT-GGA-AAT-ACT-ACA (Seq. ID No. 51); GAA-ATG-GAA-ATA-TCT-CCC-C (Seq. ID No. 52); TCT-AGG-AGG-TCC-AAT-TAT (Seq. ID No. 53); GAA-TTC-CCA-AGT-GGA-TAT (Seq. ID No. 54); CTG-TAG-GTT-TAG-ATG-AAG (Seq. ID No. 55); AAG-GAG-TGT-TTC-CCA-ACT (Seq. ID No. 56); GGC-TTC-AAG-GCG-CTC-TAA (Seq. ID No. 57); GCA-GAG-ACT-TCA-AAG-TGC (Seq. ID No. 58); CAC-ACA-CAC-GGT-GGA-CCA (Seq. ID No. 59); CAA-AGG-GAA-TGT-TCC-ATT (Seq. ID No. 60); CAC-ATA-GCA-GTG-TTT-GAG (Seq. ID No. 61); CTC-AAG-GCG-GTC-CAA-TTA (Seq. ID No. 62); GAG-TCG-AAA-TGC-ACA-CAT (Seq. ID No. 63); TAC-CAA-GAG-GAA-TGT-TGC (Seq. ID No. 64); ACG-GGA-TGC-AAT-ATA-AAA (Seq. ID No. 65); TGA-AGA-TTC-TGC-ATA-CGG (Seq. ID No. 66); AAG-GTT-TGT-ACT-GAC-AGA (Seq. ID No. 67); CTG-AAC-TAT-GGT-GAA-AAA (Seq. ID No. 68); ACT-AAC-TGT-GCT-GAA-CAT (Seq. ID No.

B7  
Encl

69); CCC-ATG-AAT-GCG-AGA-TAG (Seq. ID No. 70); AAC-TGA-ACG-CAC-AGA-TGA (Seq. ID No. 71); GGC-TAA-TCT-TTG-AAA-TTG-AAA (Seq. ID No. 72); AGG-TGG-ATA-ATT-GGC-CCT (Seq. ID No. 73); TGA-AGT-CCA-AAA-AAG-CAC (Seq. ID No. 74); CTT-AGA-CAT-GGA-AAT-ATC (Seq. ID No. 75); AAG-GGG-TCT-AAC-TAA-TCA (Seq. ID No. 76); GTA-GTT-GTT-GAG-AAT-GAT (Seq. ID No. 77); AAC-TTC-CCA-GAA-CTA-CAC (Seq. ID No. 78); ATT-CTT-GAA-ATG-GAA-CAC (Seq. ID No. 79); CTG-TGA-TTG-CTG-ATT-TGG (Seq. ID No. 80); GTC-ATC-ACA-GGA-AAC-ATT (Seq. ID No. 81); GAA-ATT-TCC-TGT-TGA-CAG-A (Seq. ID No. 82); GTT-TGA-AAG-CTG-AAC-TAT-G (Seq. ID No. 83); TCC-TGT-AAT-GTT-CGA-CAG (Seq. ID No. 84); TCA-TAG-AAC-GCT-AGA-AAG (Seq. ID No. 85); ACC-TTT-CTT-TTG-ATG-AAG-GA (Seq. ID No. 86); CAA-ATA-TCA-CAA-AAA-GAG-GG (Seq. ID No. 87); GAG-TTG-AAT-AGA-GGC-AAC (Seq. ID No. 88); GGC-CAA-ATG-TAG-AAA-AGG (Seq. ID No. 89); GCG-TTC-AAC-TCA-AGG-TGT (Seq. ID No. 90); TGT-CCT-TTA-GAC-AGA-GCA (Seq. ID No. 91); TGA-GAC-CAA-ATG-TAC-AAA-AG (Seq. ID No. 92); GAA-TAC-TGA-GTA-AGT-TCT-TTG (Seq. ID No. 93); AAC-TGC-ACA-AAT-AGG-GTG (Seq. ID No. 94); TGG-AGA-CAC-TGT-GTT-TGT (Seq. ID No. 95); CCA-GTT-GGA-GAT-TTC-AAT (Seq. ID No. 96); GAA-GCC-TGC-CAG-TGG-ATA (Seq. ID No. 97); TAC-AGC-ATT-CTG-GAA-ACC (Seq. ID No. 98); CCA-GAC-ACT-GCG-TAG-TGA (Seq. ID No. 99); ATA-TAA-TGC-TAG-AGG-GAG (Seq. ID No. 100); AAA-AAC-AAG-ACA-AAC-TCG (Seq. ID No. 101); ATT-TCA-GCT-GAC-TAA-ACA (Seq. ID No. 102); AAC-GAA-TTA-TGG-TCA-CAT (Seq. ID No. 103); GGT-GAC-GAC-TGA-GTT-TAA (Seq. ID No. 104); TTT-GGA-CCA-CTC-TGT-GGC (Seq. ID No. 105); AAC-GGG-ATA-ACT-GCA-CCT (Seq. ID No. 106); TTT-GTG-GTT-TGT-GGT-GGA (Seq. ID No. 107); AGG-GAA-TAG-CTT-CAT-AGA (Seq. ID No. 108); ATC-ACG-AAG-AAG-GTT-CTG (Seq. ID No. 109); CCG-AAG-ATG-TCT-TTG-GAA (Seq. ID No. 110); AAA-GAG-GTC-TAC-ATG-TCC (Seq. ID No. 111); TTC-CCG-TAA-CAA-CTA-TGC (Seq. ID No. 112); TCC-CGT-AAC-AAC-TAG-GCA (Seq. ID No. 113); AAA-AGG-AGT-GAT-CCA-ACC (Seq. ID No. 114); TCC-CTT-TGG-TAG-AGC-AGG (Seq. ID No. 115); ATT-TGA-GAT-GTG-TGT-ACT-CA (Seq. ID No. 116); GCA-CTT-ACC-GGC-CTA-AG (Seq. ID No. 117) and CTC-AGA-AAC-TTA-CTC-GTG (Seq. ID No. 118); and

B7  
cont'd

*BT*  
*cancel*  
b) other reagents or compositions necessary to perform the assay.

65. (Restated) The kit of claim 64, wherein at the probe or probes are unlabeled.
66. (Restated) The kit of claim 65, wherein hybridization of the probing nucleobase sequence of the probe to the chromosome is detected using an antibody or antibody fragment, wherein the antibody or antibody fragment specifically binds, under antibody binding conditions, to the PNA/nucleic acid complex which forms under suitable hybridization conditions.
78. (Restated) A multiplex assay using non-nucleic acid probes to detect, identify or enumerate two or more human chromosomes in the sample.
79. (Restated) The multiplex assay of claim 78, wherein the assay is used to detect, identify or enumerate two or more human chromosomes selected from the group consisting of: X, Y, 1, 2, 3, 6, 8, 10, 11, 12, 16, 17 and 18.
80. (Restated) The multiplex assay of claim 78, wherein at least two non-nucleic acid probes are independently detectable such that each of the two or more probes can detect the presence, absence or number of one of human chromosomes X, Y, 1, 2, 3, 6, 8, 10, 11, 12, 16, 17 or 18.
81. (Restated) The multiplex assay of claim 80, wherein one or more of the non-nucleic acid probes comprise a probing nucleobase sequence, at least a portion of which is, at least ninety percent homologous to the nucleobase sequences, or their complements, selected from the group consisting of: CTT-CAA-AGA-GGT-CCA-  
CGA (Seq. ID No. 1); AGG-GTT-CAA-CTG-TGT-GAC (Seq. ID No. 2); GAA-  
ACT-TCT-GAG-TGA-TGA (Seq. ID No. 3); CAG-TCA-TCG-CAG-AAA-ACT  
(Seq. ID No. 4); AGA-TTT-CAC-TGG-AAA-CGG (Seq. ID No. 5); GTT-ATG-  
GGA-AGG-TGA-TCC (Seq. ID No. 6); TCG-AGC-CGC-AGA-GTT-TAA (Seq.  
ID No. 7); CTA-TTT-AGC-GGG-CTT-GGA (Seq. ID No. 8); TAC-AAG-GGT-  
GTT-GCA-AAC (Seq. ID No. 9); CCA-TAT-GCA-GTT-ATA-AGT-AGG (Seq.  
ID No. 10); TAT-TGT-ACC-AAG-CAG-AGT-ACC (Seq. ID No. 11); GGT-ATA-  
TAT-AAG-ATG-ACA-CAG-GA (Seq. ID No. 12); GTT-AGT-TAT-ATT-GGG-  
TGA-TAT-GT (Seq. ID No. 13); TCA-CAT-AAT-AGA-CAA-CAT-AC (Seq. ID

No. 14); CAG-AAG-AGA-TTG-AAC-CTT (Seq. ID No. 15); GGC-ATA-GCA-CAT-AAC-ATG (Seq. ID No. 16); AAT-CGT-CAT-CGA-ATG-AAT (Seq. ID No. 17); CAT-TGA-ACA-GAA-TTG-AAT (Seq. ID No. 18); GTT-TTC-AGG-GGA-AGA-TAT (Seq. ID No. 19); TGT-GCG-CCC-TCA-ACT-AAC (Seq. ID No. 20); GAA-GCT-TCA-TTG-GGA-TGT (Seq. ID No. 21); CCA-ATA-AAA-GCT-ACA-TAG-A (Seq. ID No. 22); GAA-AAA-GTT-TCT-GAC-ATT-GC (Seq. ID No. 23); TAG-TTG-AAG-GGC-ACA-TCA (Seq. ID No. 24); CAC-AAA-TAA-GAT-TCT-AAG-AAT (Seq. ID No. 25); TCA-AAA-GAA-TGC-TTC-AAC-AC (Seq. ID No. 26); ATA-ATT-AGA-CCG-GAA-TCA-T (Seq. ID No. 27); GCT-GTT-TTC-TAA-AGG-AAA-G (Seq. ID No. 28); AAG-ACT-TCA-AAG-AGG-TCC (Seq. ID No. 29); TTT-GTC-AAG-AAT-TAT-AAG-AAG (Seq. ID No. 30); CAA-GAT-TGC-TTT-TAA-TGG (Seq. ID No. 31); TGT-GTA-TCA-ACT-CAC-GGA (Seq. ID No. 32); CCT-CAC-AAA-GTA-GAA-ACT (Seq. ID No. 33); GAA-AAA-GCA-GTT-ACT-GAG (Seq. ID No. 34); TAA-TAA-TTA-GAC-GGA-ATC-AT (Seq. ID No. 35); TTA-CAG-GGC-ATT-GAA-GCC (Seq. ID No. 36); CAG-TTA-TGA-AGC-AGT-CTC (Seq. ID No. 37); CAC-ACC-AGA-AAA-AGC-AGT (Seq. ID No. 38); AAG-GGT-AAA-CAC-TGT-GAG (Seq. ID No. 39); AGA-CAA-CGA-AAT-ATC-TTC-ATG (Seq. ID No. 40); CTA-GCA-GTA-TGA-GGT-CAA (Seq. ID No. 41); GCA-GAC-TTC-AGA-AAC-AGA (Seq. ID No. 42); GGC-CTC-AAA-GAC-GTT-TAA (Seq. ID No. 43); GTG-AAA-GTT-CCA-AGT-GAA (Seq. ID No. 44); GAG-TGC-TTT-GAA-GCC-TAC (Seq. ID No. 45); GAA-ACA-GCA-GAG-TTG-AAA (Seq. ID No. 46); TGC-AGA-GAT-CAC-AAC-GTG (Seq. ID No. 47); ACA-AAG-AAT-CAT-TCG-CAG (Seq. ID No. 48); AGT-GTT-AGA-AAA-CTG-CTC (Seq. ID No. 49); CTG-TTC-AGA-GTA-ACA-TGA (Seq. ID No. 50); CCG-CTT-GGA-AAT-ACT-ACA (Seq. ID No. 51); GAA-ATG-GAA-ATA-TCT-CCC-C (Seq. ID No. 52); TCT-AGG-AGG-TCC-AAT-TAT (Seq. ID No. 53); GAA-TTC-CCA-AGT-GGA-TAT (Seq. ID No. 54); CTG-TAG-GTT-TAG-ATG-AAG (Seq. ID No. 55); AAG-GAG-TGT-TTC-CCA-ACT (Seq. ID No. 56); GGC-TTC-AAG-GCG-CTC-TAA (Seq. ID No. 57); GCA-GAG-ACT-TCA-AAG-TGC (Seq. ID No. 58); CAC-ACA-CAC-GGT-GGA-CCA (Seq. ID No. 59); CAA-AGG-GAA-TGT-TCC-ATT (Seq. ID No. 60); CAC-ATA-GCA-GTG-TTT-GAG (Seq. ID No. 61); CTC-AAG-GCG-GTC-CAA-TTA (Seq. ID No. 62); GAG-TCG-AAA-TGC-ACA-CAT (Seq. ID No. 63); TAC-CAA-GAG-GAA-TGT-TGC (Seq. ID No. 64); ACG-GGA-TGC-AAT-ATA-AAA (Seq. ID No. 65); TGA-AGA-TTC-TGC-ATA-CGG (Seq.

ID No. 66); AAG-GTT-TGT-ACT-GAC-AGA (Seq. ID No. 67); CTG-AAC-TAT-GGT-GAA-AAA (Seq. ID No. 68); ACT-AAC-TGT-GCT-GAA-CAT (Seq. ID No. 69); CCC-ATG-AAT-GCG-AGA-TAG (Seq. ID No. 70); AAC-TGA-ACG-CAC-AGA-TGA (Seq. ID No. 71); GGC-TAA-TCT-TTG-AAA-TTG-AAA (Seq. ID No. 72); AGG-TGG-ATA-ATT-GGC-CCT (Seq. ID No. 73); TGA-AGT-CCA-AAA-AAG-CAC (Seq. ID No. 74); CTT-AGA-CAT-GGA-AAT-ATC (Seq. ID No. 75); AAG-GGG-TCT-AAC-TAA-TCA (Seq. ID No. 76); GTA-GTT-GTT-GAG-AAT-GAT (Seq. ID No. 77); AAC-TTC-CCA-GAA-CTA-CAC (Seq. ID No. 78); ATT-CTT-GAA-ATG-GAA-CAC (Seq. ID No. 79); CTG-TGA-TTG-CTG-ATT-TGG (Seq. ID No. 80); GTC-ATC-ACA-GGA-AAC-ATT (Seq. ID No. 81); GAA-ATT-TCC-TGT-TGA-CAG-A (Seq. ID No. 82); GTT-TGA-AAG-CTG-AAC-TAT-G (Seq. ID No. 83); TCC-TGT-AAT-GTT-CGA-CAG (Seq. ID No. 84); TCA-TAG-AAC-GCT-AGA-AAG (Seq. ID No. 85); ACC-TTT-CTT-TTG-ATG-AAG-GA (Seq. ID No. 86); CAA-ATA-TCA-CAA-AAA-GAG-GG (Seq. ID No. 87); GAG-TTG-AAT-AGA-GGC-AAC (Seq. ID No. 88); GGC-CAA-ATG-TAG-AAA-AGG (Seq. ID No. 89); GCG-TTC-AAC-TCA-AGG-TGT (Seq. ID No. 90); TGT-CCT-TTA-GAC-AGA-GCA (Seq. ID No. 91); TGA-GAC-CAA-ATG-TAC-AAA-AG (Seq. ID No. 92); GAA-TAC-TGA-GTA-AGT-TCT-TTG (Seq. ID No. 93); AAC-TGC-ACA-AAT-AGG-GTG (Seq. ID No. 94); TGG-AGA-CAC-TGT-GTT-TGT (Seq. ID No. 95); CCA-GTT-GGA-GAT-TTC-AAT (Seq. ID No. 96); GAA-GCC-TGC-CAG-TGG-ATA (Seq. ID No. 97); TAC-AGC-ATT-CTG-GAA-ACC (Seq. ID No. 98); CCA-GAC-ACT-GCG-TAG-TGA (Seq. ID No. 99); ATA-TAA-TGC-TAG-AGG-GAG (Seq. ID No. 100); AAA-AAC-AAG-ACA-AAC-TCG (Seq. ID No. 101); ATT-TCA-GCT-GAC-TAA-ACA (Seq. ID No. 102); AAC-GAA-TTA-TGG-TCA-CAT (Seq. ID No. 103); GGT-GAC-GAC-TGA-GTT-TAA (Seq. ID No. 104); TTT-GGA-CCA-CTC-TGT-GGC (Seq. ID No. 105); AAC-GGG-ATA-ACT-GCA-CCT (Seq. ID No. 106); TTT-GTG-GTT-TGT-GGT-GGA (Seq. ID No. 107); AGG-GAA-TAG-CTT-CAT-AGA (Seq. ID No. 108); ATC-ACG-AAG-AAG-GTT-CTG (Seq. ID No. 109); CCG-AAG-ATG-TCT-TTG-GAA (Seq. ID No. 110); AAA-GAG-GTC-TAC-ATG-TCC (Seq. ID No. 111); TTC-CCG-TAA-CAA-CTA-TGC (Seq. ID No. 112); TCC-CGT-AAC-AAC-TAG-GCA (Seq. ID No. 113); AAA-AGG-AGT-GAT-CCA-ACC (Seq. ID No. 114); TCC-CTT-TGG-TAG-AGC-AGG (Seq. ID No. 115); ATT-TGA-GAT-GTG-TGT-ACT-CA (Seq. ID No. 116); GCA-CTT-ACC-GGC-

CTA-AG (Seq. ID No. 117) and CTC-AGA-AAC-TTA-CTC-GTG (Seq. ID No. 118)